

**Makita**

# Pneumatic 18Ga C1 Brad Nailer

AF506



# Product Objectives

- Designed to suit the needs of second fix carpenters, builders, wood-working and cabinet makers
- The AF506 replaces the AF505N



# Product Overview



# Product Specification Sheet




Fastener range	15 - 50mm
Operating air pressure	70 - 120psi
Magazine capacity	100pcs
Fastener type	18 Ga
Overall length	250mm
Net weight	1.3kg

- **Depth adjustment dial** – depth of nailing can be adjusted by turning the adjuster. Scrolling the adjuster up will sink the nail further into the material and scrolling down will make the nail sit proud
- **Tool-less jammed nail clearing** – once the hose has been disconnected, open the slide door then pull the latch to open door and remove the nails, no need for tools
- **Soft grip** – Soft rubber grip for comfortable operation
- **Air duster** – air supplied to the tool can also be used as an air duster to clean the working area of dust and debris. Simply press the base of the tool to expel air via the exhaust port
- **Nails remaining window** – dual windows enable fast identification of remaining nail capacity, increasing efficiency
- **Slim nose tip** – allows easy access to a desired fastening point and more precise and accurate firing of brad nails

# Advantages

## Control



Depth adjustment dial

## Efficiency



Tool-less clearing of jammed nails

## Convenience



Air duster to blow away dust and debris

## Precision



Slim nose tip for precise nailing

# Product Replacement

	AF505N - Discontinued	AF506
		
Fastener range	15 - 50mm	15 - 50mm
Operating air pressure	60 - 115psi	<b>70 - 120psi</b>
Magazine capacity	100pcs	100pcs
Fastener type	18 Ga	18 Ga
Overall length	260mm	<b>250mm</b>
Net weight	1.4kg	<b>1.3kg</b>

# Our Range

	AF353	AF506	AF601	AF635	AT638A	AN611	AN943
							
Fastener range	15-35mm	15 - 50mm	25 - 64mm	32 - 64mm	13 - 38mm	Plastic: 32 - 50mm Wire: 32 - 65mm	50 - 90mm
Operating air pressure	65-100psi	70 - 120psi	70 - 120psi	70 - 120psi	70 – 120psi	65 – 120psi	65 – 120psi
Magazine capacity	130pcs	100pcs	100pcs	100pcs	100pcs	200 - 400pcs	60 - 84pcs
Fastener type	23Ga	18 Ga	16 Ga	15 Ga	18 Ga	15°, 2.1 - 2.5mm dia. (plastic or wire collated)	31° (D-Clipped head)
Overall length	208mm	250mm	304mm	339mm	230mm	332mm	455mm
Net weight	0.9kg	1.3kg	1.7kg	1.8kg	1.2kg	2.2kg	3.9kg

# Accessories

Standard Accessories		
	HY00000951	Safety Goggles
	HY00000339	Nose cap
	HY00000952	Air Nailer Oil