

## **Product Objectives**

- Designed to suit the needs of carpenters, joiners, shopfitters and cabinet makers
- Develop a compact and lightweight orbital sander with high dust extraction and variable speed for a variety of uses



### **Product Overview**



## **Product Specification Sheet**



Pad diameter	123mm
Abrasive paper diameter	125mm
Orbits per minute	4,000 - 12,000opm
Orbit diameter	2.8mm
Sanding strokes	8,000-24,000spm
Continuous rating input	300W
Overall length	153mm
Net weight	1.3kg
Power supply cord	2.0m

- High powered motor 300w motor designed for heavy duty sanding application
- Rubber switch cover cover has been designed to prevent dust ingress into the switch preventing switch failure
- Pad brake quickly stops the motor after the power is turned off, preventing swirl or gouge marks
- Ergonomic contoured grip fits the palm perfectly to provide maximum comfort and control while minimising hand fatigue and pain
- Variable speed control pre set dial allows the operator to select orbits per minute between 4,000-12,000opm for the ideal finish
- Durable bearing construction large sized ball bearing increase the tool durability

## Advantages

#### **Control**



Variable speed control dial to match the sanding speed to the material

#### **Efficiency**



Dust is extracted through 8 holes under the pad for a high extraction rate

#### **Comfort**



Rubberised palm grip and low vibration for improved operator comfort

#### **Durability**



Oversized ball bearing for extended tool life

# **Our Range**

	BO5031 BO5041KX		BO6030J	BO6050J
	Trade	Tradila	The state of the s	Thakita
Pad diameter	123mm	123mm	150mm	150mm
Abrasive paper diameter	125mm	125mm	150mm	150mm
Orbits per minute	4,000 - 12,000opm	4,000 - 12,000opm	4,000 - 10,000opm	1,600-6,800opm
Orbit diameter	2.8mm	2.8mm	3.0mm	5.5mm
Sanding strokes	8,000-24,000spm	8,000-24,000spm	8,000-24,000spm	3,200-13,600spm
Continuous rating input	300W	300W	310W	750W
Overall length	153mm	218mm	309mm	330mm
Net weight	1.3kg	1.4kg	2.3kg	2.6kg
Power supply cord	2.0m	2.0m	2.0m	2.0m

## Accessories

Standard Accessories				
	794544-7	Abrasive paper 125mm #120 grit		
makta	135246-0	Paper filter + dust box		

Optional Accessories				
Trackita.  Page  P	Grit 40 – 400	Aluminium Oxide + Zinc Stearate  For wood, varnish, metal, plastic and fillers  Available in 10 or 50 packs		
Trakita  Falla store  Walla Sto	Grit 40-400	Aluminium Oxide  For wood, painted wood and metal  Available in 10 or 50 packs		