

4 key components make up our LXT® Advantage, providing you with the most advanced, dependable 18V tools on the market. Our fast-charging batteries, rapid optimum chargers, industry leading brushless motors and our STAR Protection computer controls make each and every one of the world's largest 18V range of tools the best option for the job, no question.



Product Objectives

- Designed to suit the needs of trades people in any industry that require a compact mobile jobsite fan providing air circulation and cooling.
- Develop a mobile compact fan powered by either AC or 18V batteries with high air volume output



Product Overview



Product Specification Sheet



Max. wind velocity	High: 180m/min Med: 150m/min Low: 120m/min
Max. air volume	High: 4.6m³/min Med: 3.8m³/min Low: 3.0m³/min
Continuous runtime 4.0Ah battery	High:275mins Med: 380mins Low: 630mins
Overall length	185mm
Skin weight	1.3kg
Weight (with battery)	1.7kg
Voltage	18V

- Low noise fan blades and fan cover have been designed to make less wind noise during operation
- Off-timer switch three off-timer settings: 1 / 2 / 4 hours
- Automatic Oscillation fan can oscillate automatically 45° left/right
- 18V or AC Powered for added convenience you can power with either 18V LXT batteries or AC power plug
- 3 Speed Modes High / Med / Low fan speeds, selectable on the LED touch panel. The fan remembers last mode running before being switched off
- Adjustable hook on the back of the fan pivots up and down allowing the user to hang the tool in a variety of positions
- Dual power source powered by either optional 18V
 Batteries or optional AC power adaptor

Advantages

Power



3 speed selector for optimal air velocity control

Versatility



Automatic Oscillation: 45° left/right

Convenience



Powered by either 18V batteries or AC power

Durable



Durable design engineered to withstand the jobsite environment



Our Range

Max. wind velocity

Weight (with battery)

Overall length

Skin weight

Voltage

NEW – DCF102Z	DCF201	DCF300
Takita.		
180m/min 150m/min 120m/min	120m/min	220m/min
185mm	263mm	315mm
1.3kg	1.8kg	4.1kg
1.7kg	2.4kg	4.7kg
18V	18V	18V

Accessories

Standard accessories

No standard accessories

* AC adapter, batteries and chargers sold separately

Optional accessories				
	TE00000208	AC Adapter (ETA Nov)		

