

18V Mobile Brushless Screwdriver



DFS250
DFS251



Product Objectives

Makita

- Designed to suit the needs of plaster board installers, deck installation or roofers installing corrugated roofing
- Develop a high power high torque brushless screwdriver allowing more work on a single battery with push drive technology



Product Overview

Makita

Philips drive bit



DFS251

Also available
with 5/16" Hex

High torque

LED job light



BL Brushless motor

Ergonomically designed

Push drive technology

*DFS250 image displayed

Product Specification Sheet

Makita



		DFS250	DFS251
Driver bit:		PH2	5/16" hex
Driving shank:		6.35 (1/4") Hex	
Clutch		Silent	Normal
No load speed:		2,500rpm	
Max capacity: (diameter)	Drywall screw	5mm	
	Self drilling screw	6mm	
Weight: kg		1.8kg	

- **Philips or socket bit available** – DFS250 comes standard with a #2 Philips bit while the DFS251 features a 5/16" hex socket
- **High torque** – with a lower rpm then other mobile screwdrivers in the Makita range these models produce more torque suited to hard material applications
- **LED job light** – single LED job light with afterglow function and a manual off switch
- **BL Brushless motor** – high power and more efficient enabling increased work on a single battery
- **Ergonomically designed** – best possible tool body for screw driving, designed to minimise hand fatigue and pain. Allows maximum hand thrust. Gives a much smoother and easier trigger pull
- **Push drive technology** – when selecting push drive mode on the selection panel and locking the trigger on, the motor does not rotate under no load to minimize power consumption, and starts rotating at full speed only when screws are inserted into a board

Advantages

Makita

Performance



High torque for hard material applications

Innovation



Push drive technology

Control



Ergonomically designed, best possible tool body for screw driving

Efficiency



High efficiency brushless motor

Our Range

Makita

		DFS250	DFS251	DFS452	DFS451
					
Driver bit:		Phillips 2	5/16" Hex	Phillips 2	Phillips 2
Driving shank:		6.35 (1/4") Hex	6.35 (1/4") Hex	6.35 (1/4") Hex	6.35 (1/4") Hex
No load speed:		0-2,500rpm	0-2,500rpm	0-4,00rpm	0-4,000rpm
Max capacity: (diameter)	Drywall screw	5mm	5mm	5mm	4mm
	Self drilling screw	6mm	6mm	6mm	-
Weight: kg		1.8kg	1.8kg	1.7kg	1.7kg




Accessories



Standard Equipment

	B-23793	Phillips bit 2-25 (1 Pcs only) (DFS250)
	784811-8	Magnetic connect bit x 60mm (DFS250)
	B-45082	Magnetic Nutsetter 5/16"x65mm (DFS251)

Optional Accessories

	784811-8 P-05979	Magnetic bit holder 60mm 59mm stainless steel
	P-53338 P-06030 P-53344 P-06052	Phillips PH1x25mm Torsion S/Driver bit (3PK) Phillips PH1x25mm Torsion S/Driver bit (10PK) Phillips PH2x25mm Torsion S/Driver bit (3PK) Phillips PH2x25mm Torsion S/Driver bit (10PK)
	B-45076 B-45082 B-45098 B-45107	Magnetic nutsetter 1/4" x65mm Magnetic nutsetter 5/16" x65mm Magnetic nutsetter 3/8" x65mm Magnetic nutsetter 7/16" x65mm