

Product Objectives



- Expand our line up of 18V Rotary Hammers
- Provide a 16mm Mobile Rotary Hammer alternative








Specifications





Specifications






Voltage	18V
Capacities: Concrete Steel Wood	16mm 13mm 24mm
No Load Speed	0-1,600rpm
Impacts per Minute	0-5,300ipm
Joules	1.3j
Vibration	12.0m/s ²
Overall Length	297mm
Weight	1.85kg

Advantages



Versatility



2 Mode Operation Hammering with Rotation and Rotation only

Design



Single LED job light with afterglow function

Control



Inline positive grip design maximises power thrust

Ergonomics



Compact overall length of 297mm (DHR202 – 358mm)

Advantages



Compatibility

Compatible with Li-Ion batteries from 1.5Ah up to 5.0Ah with *fast charging and longer run times *DC18RC/DC18RD









Fast Charging









Advantages





Our Range



18V Mobile Rotary Hammer Line Up











Accessories



Standard Equipment		Optional Accessories			
makita	158057-6	Side Grip		See 2015 Accessory Catalogue for details	SDS Plus Type Shank Performance Drill Bits 4mm-16mm
	415486-9	Depth Gauge	The state of the s		SDS Plus Type Shank Nemesis Drill Bits 5mm-16mm
Optional Accessories					
7874	BL1815N BL1830 BL1840 BL1850	1.5Ah Battery 3.0Ah Battery 4.0Ah Battery 5.0Ah Battery	NSCO.	122574-2	Keyed Drill Chuck + SDS Adaptor 13mm
	DC18RC DC18SD	Fast Charger Standard Charger		763432-9	Chuck Key to suit 122574-2