

## **Product Objectives**

- Expand the world's largest range of 18V power tools with our first line up of brushless 235mm circular saws
- Ideal for a wide range of trades requiring a large cut capacity circular saw with AC power without the cord



## **Product Overview**



## **Product Specification Sheet**



Max. cutting capacities at 0°	85mm
Max. cutting capacities at 45°	61mm
Max. cutting capacities at 50°	41mm
Bevel capacity	-1°- 60°
Blade diameter	235mm (9-1/4")
Bore diameter	25mm
No load speed	4,500rpm
Overall length	430mm
Skin Weight	5.2kg
Weight (with battery)	6.4kg
Voltage	(36V) 18Vx2

- **Ergonomic design** improved control and comfort for the user
- 18Vx2 Brushless delivers superior performance that truly replaces the need for an AC powered saw thanks to a purpose built brushless motor and the power of 18Vx2 technology
- **Dust extraction nozzle** for connection to dust extraction vacuum
- **Efficut blade** delivers superior performance with an advanced cutting design. Increases runtime and cutting speeds
- Electric brake quickly stops the blade rotation after the switch has been disengaged
- AWS (Auto-start Wireless System) on demand dust extraction via Bluetooth connection
- ADT (Automatic torque Drive Technology) automatically gives optimal rpm to torque ratio to produce the fastest cut in light or hard applications
- Large bevel capacity bevel cuts up to -1° left and 60° right for a wide range of applications
- **Twin LED job light** for improved visibility in low light environments

## Advantages

#### **Power**




Powered by an 18Vx2 Brushless motor and ADT technology for optimum cutting

#### **Innovation**



AWS Autostart Wireless System
Wirelessly engages compatible Bluetooth vacuum

#### Convenience



Massive 85mm Cutting Capacity

#### **Safety**



Electric blade brake rapidly slows the blade after trigger has been released

## **Advantages**

#### **World's First**

The DHS901 is the first of it's kind, addressing this issue of a lack of massive cutting capacity with cordless mobility.

It is the first cordless 9-1/4" Circular Saw, powered by a 18Vx2 Brushless Motor providing high efficiency cutting equal to that of a corded circular saw. It has an industry leading 85mm cutting capacity with up to 60 degrees bevel capacity.



235mm Blade

**85mm** 

Cut capacity at 0°

## **Our Range**

	DHS901 NEW	DHS781	DHS780	DHS661	DHS660	DHS680
	nakita mara	Thakita Thakit	Thakita	makita makita	makita na	Trakita
Motor design	Brushless	Brushless	Brushless	Brushless	Brushless	Brushless
Blade diameter	235mm (9-1/4")	185mm (7-1/4")	185mm (7-1/4")	165mm (6-1/2")	165mm (6-1/2")	165mm (6-1/2")
Blade Position	Right Side	Right side	Right side	Right side	Right side	Left side
Bevel Capacity	60°	56°	56°	50°	50°	50°
No load speed	4,500rpm	6,000rpm	6,000rpm	5,000rpm	5,000rpm	5,000rpm
Overall length	430mm	342mm	342mm	270mm	270mm	350mm
Skin weight	5.06kg	3.46kg	3.46kg	2.53kg	2.53kg	2.7kg
Voltage	18Vx2	18Vx2	18Vx2	18V	18V	18V
Electric Brake	Yes	Yes	Yes	Yes	Yes	Yes
Automatic Torque Drive	Yes	Yes	Yes	Yes	Yes	Yes
Auto-start Wireless System	Yes	Yes	No	Yes	No	No

# Accessories

Standard Accessories		
Thakita  135mm  100 mm m	E-01943	235mm 24 tooth Efficut Blade
	783204-6	6mm Hex Wrench
	164367-1	Guide Rule

Optional Accessories				
	198901-5	AWS Bluetooth Adaptor		
Thakta.  When and the state of	B-15207 B-15213	BlueMak Saw Blades  235 x 25 x 40T  235 x 25 x 60T		
Trakita. A Proposition of the Pr	B-49214 B-49220	M-Force Saw Blades  235 x 25 x 20T  235 x 25 x 40T		
makita was a same a sam	B-30835 B-30841	Knot & Nail Saw Blades  235 x 25 x 24T  235 x 25 x 48T		
TRAKITA  235mm  ALMANDIN CITTUR	B-15609 191897-9	Aluminium Saw Blades  235 x 25 x 80T  Paraffin Wax		
Trakita.	B-37649	Coolroom Panel Saw Blades 235 x 25 x 30T		

## **Extraction System**

Model	Applicable Cuffs	Hose	Vacuum
Trakita Property Control of the Cont	Front Cuff 38 – 195545-2 + 24mm Rubber Joint – 195546-0	28mm diameter hose	DVC154L DVC862L DVC860L DVC750LX1 DVC265 DVC261 DVC260 VC2510LX1 VC3210LX1
	24mm Quick Fit – P-70378	32mm Quick Fit Hose	VC3012L VC3012M VC4210L VC4210M
	24mm Quick Fit — P-81745	32mm diameter	VC2012L