



18Vx2 Brushless 355mm (14") Cut Off Saw





Setup Data



Demo tools: Demo tools allocated, by request only

DLW140Z

Model No.	Barcode	Description	Packaging Dimensions LxWxH (cm)	Packaged Item Weight (kg)
DLW140Z	0088381869591	18Vx2 Brushless 355mm (14") Cut Off Saw	56.5 x 37 x 46cm	20.30kg
DLW140PT2	0088381869614	18Vx2 Brushless 355mm (14") Cut Off Saw Kit	56.5 x 37 x 46cm	23.85kg



18Vx2 FEVF+ FEVF 36V BRUSHLESS CUT THE CORD, NOT THE POWER.

Cut the cord and not the power with our 18Vx2 range of power tools. Our 18Vx2 range offers more power, speed and run-time without the hassles of a cord. The best part is our 18Vx2 lineup is fully compatible with all LXT® batteries and chargers. Tough out big jobs with 18Vx2 tools and go back to work with the worlds largest range of 18V power tools




Product Objectives

- Deliver the worlds first portable cut off saw backed by the platform of the worlds largest range of 18V powers, LXT
- Ideal for light duty applications such as cutting metal stud, colorbond fence posts etc...



Product Overview





Product Specification Sheet

DLW140 – 18Vx2 Brushless 355mm Cut Off Saw



Motor design	Brushless	
Wheel diameter	355mm	
No load speed	3,800rpm	
Overall length	530mm	
Skin weight	15.66kg	
Voltage	18Vx2	
Electric Brake	Yes	
Overload indicator	Yes	
Tool-less adjustment	Yes (both Vice + cutting wheel)	

- 18Vx2 Technology delivers the performance required for metal cutting applications
- **Brushless motor –** reduces heat and increases runtime
- Electric brake quickly stops the wheel rotation after the switch has been disengaged
- **Tool-less guide plate adjustment** for easy and quick adjustments
- Large spark guard helps to control swarf management
- **Tool-less wheel replacement** with quick release levers you can change cutting wheels without the needs for any tools, simply turn knob to tighten or loosen wheel.
- Overload indicator with 4 LED bars allows you can see the load and adjust the pressure you are applying for optimal cutting performance

Advantages

Control



Overload indicator allows you to control cut

Reliability



Ribbed based for added strength

Safety



Electric brake rapid stops cutting wheel

Convenience



Tool-less wheel change and vice

Accessories

Stand	ard	Acce	ssories
Junu			3301163



355mm CUT-OFF WHEEL 2.5mm thick – ideal for cordless cut off saw

Optional Accessories					
	B-64711-5	355mm CUT-OFF WHEEL 2.5mm thick – ideal for cordless cut off saw 5 Pack			
	B-64711-25	355mm CUT-OFF WHEEL 2.5mm thick – ideal for cordless cut off saw 25 Pack			
	B-50201-5	355MM METAL C/OFF WHEEL DBL REINFORC 5PK			
	B-50201-25	355MM METAL C/OFF WHEEL DBL REINFORC 25PK			