

[®]
Makita

18V Tower Light

LXT

DML814



Product Statement

18V Tower Light

The DML814 is designed to provide illumination for jobsites with the toughest conditions. The DML814 features a stable tripod base which is foldable for compact and easy storage. The light is telescopic and can reach a maximum height of 2.2m fully extended. The light head consists of 3 small light heads, which can all be independently pivoted and angled to provide lighting for varying work environments and conditions.

It is powered by 18V batteries and features 3 brightness settings, with a maximum 3,000 lumens providing ideal lighting for varying working environments.

The DML814 also features a battery capacity warning, with up to 10 hours of runtime with 1x 5.0Ah batteries. Engineered to stand up against harsh job site conditions with protective bumpers, and features dust and water resistant construction for increased durability, giving it an IP55 rating.




Product Overview

3 Pivoting light heads



Daylight white LED

IP55 rated



Adjustable height



Battery capacity warning




Foldable design



3 brightness settings



Tripod fixing hole



Product Specification Sheet




Continuous runtime (5.0Ah)	High:3.0hrs Medium: 5.5hrs Low: 10hrs
Luminous flux	High: 3,000lm Medium: 1,700lm Low: 900lm
Illuminance (at 1m)	High: 1,250lx Medium: 750lx Low: 400lx
Overall length	Folded: 1,000mm Fully Extended: 2,240mm
Skin weight	7.4kg
Weight (with battery)	8.1kg
Voltage	18V

- **3 Pivoting light heads** – 3 independently pivoting head lights allow for greater versatility using all 3 lights in one direction for area lighting or 3 separate directions for spot light
- **IP55 Rated** – for advanced protect against dust and water. Battery compartment is fully enclosed to protect the battery and additionally has a padlock hole to prevent battery being removed or stolen.
- **Foldable design** – tripod base quickly expands at the press of a button allowing for quick set up, pack down and storage.
- **Tripod fixing hole** – the tripod can be firmly secured to the ground with a screw or peg.
- **Daylight white LED** – the light color is similar to that of natural light making it ideal for working spaces.
- **Adjustable height** – the height of light head can be adjusted freely from 1,250 to 2,240mm. Allowing the light to be positioned in the ideal location
- **Battery capacity warning** – automatically notifies the user about reduction in battery capacity with the decrease of illuminance. One LED remains on for approximately 5mins giving you time to change the battery without being left in the dark.
- **3 brightness settings** – push button for selecting the desired brightness between high (3,000lm), medium (1,700lm) and low (900lm). Memory function will restart the light on which ever mode was selected when light was turned off.

Advantages

Illumination



High brightness 3,000lm white LED's

Versatility



3 independently pivoting light heads

Durability



IP55 rated for protection against dust and water

Design



Fast and compact folding design

Independently Pivoting Light Heads

3 independently pivoting head lights allow for greater versatility using all 3 lights in one direction for area lighting or 3 separate directions for spot light.

Having all the lights fixed in one location reduce the capacity to freely position the light heads into the most convenient location for lighting the work area.



Folding Design

Tripod base quickly expands at the press of a button allowing for quick set up, pack down and storage.

Simply hold the horizontal handle and carrying handle by both hands. Then slide the carrying handle down towards the base while pushing the tripod release button, locking it into place.





Accessories



Standard Accessories

No standard accessories

Optional Accessories

	BL1815N BL1830B BL1840B BL1850B BL1860B	<p><u>18V LXT Batteries</u></p> <p>1.5Ah Battery 3.0Ah Battery 4.0Ah Battery 5.0Ah Battery 6.0Ah Battery</p>
	DC18RD DC18RC RC18SD DC18SF	<p><u>18V LXT Chargers</u></p> <p>Dual Port Rapid Charger Rapid Charger Standard Charger 4 Port Charger</p>