


# **Product Objectives**




- Expand our line up of Brushless tools
- Provide a lower noise alternative Impact Driver
- Deliver a market leader in the Impact Driver range





## **Specifications**





# **Specifications**





Voltage	18V
Capacities: Machine Screw Standard Bolt Coarse Thread	M5-M8
No Load Speed: Hard Medium Soft	0-2,700rpm 0-2,100rpm 0-1,000rpm

Impacts per Minute	: Hard Medium Soft	0-2,700ipm 0-2,200ipm 0-1,400ipm
Max Fastening Torq	ue:	40Nm
Overall Length		171mm
Net Weight		1.5kg



#### Design




Low operation noise of only 77dB

#### **Precision**



Electronic 3 stage power selection with 'T' mode

#### **Innovation**



2 Impacts per 1 Rotation. Enables smooth fastening

### **Ergonomics**




Extra compact design with short overall length – 47mm shorter than BTS130



### **Soft Impact**


Using a newly-developed Oil-unit as an impact mechanism instead of anvil and hammer, the operation noise has been greatly reduced compared to a Mobile Impact Driver






### **Smooth Fastening**

2 impacts per 1 rotation prevents a driver bit from easily dislodging







### **Electronic 3-Stage Impact Power Selection with T-Mode**

- Hard/Medium/Soft impact power selection for increased control
- T-Mode takes the guess work out of driving self drilling screws





#### Compatibility

Compatible with Li-Ion batteries from 1.5Ah up to 5.0Ah with \*fast charging and longer run times \*DC18RC/DC18RD









### **Fast Charging**













### Accessories



<b>Standard</b>	Eaui	oment
3 tamaan a		

346317-0 (251414-2)

Belt Clip (Screw M4x12)



See Accessory Catalogue for details

**Brad Point Wood Drill** Bits 3-12mm 1/4" Hex Shank

**Wood Auger Drill Bits** 

6-21mm 1/4" Hex Shank

Flat Wood Spade Bits

**HSS-Tin Drill Bits** 3-12mm 1/4" Hex Shank

**Optional Accessories** 

**BL1815N** BL1830 BL1840 BL1850

1.5Ah Battery 3.0Ah Battery 4.0Ah Battery 5.0Ah Battery





Impact Gold Screwdriver Bit

Range

6-35mm 1/4" Hex Shank **Phillips Head** Pozi Drive

25/30/50mm

**Socket Adaptors** Bit Holders

DC18RC DC18SD

Fast Charger **Standard Charger** 





Torx Head **Square Drive** Hex Drive 25/30/50mm **Hex Nutsetters** 

# **Set Up Data**





Model No.	Barcode	Description	Dimensions LxWxH (mm)	Item Weight	M/C Qty	Carton LxWxH	Carton Weight
DTS141Z	0088381684484	18V Mobile Brushless Oil Impulse Driver	136x79x 240mm	1.5kg	4	238x83x 190mm	1.6kg