

**Makita**

# 18V Brushless Hedge Trimmer 750mm

DUH752

**BRUSHLESS**



# Product Overview

## DUH752 – 18V Brushless Hedge Trimmer 750mm

3 stage speed change

Electric blade brake


Standard blade design

Blade release function

Variable speed trigger

Rotating rear handle

Lightweight design





# Product Specification Sheet



Max. branch diameter	21.5mm
Blade length	750mm
Noise	93dB
No load speed	Hi: 0 - 4,400spm Med: 0 - 3,600spm Low: 0 - 2,000spm
Overall length	1,261mm
Skin weight	3.9kg
Weight (with battery)	4.5kg
Voltage	18V

- **3 Stage speed change** – control panel allows adjustable stroke speed according to operations and the environment
- **Standard blade design** – features a double reciprocating blade with a flat blade surface
- **Electric blade brake** – quickly brings the blades to a smooth stop so the user can safety resume operation
- **XPT** – extreme protection technology, is an advanced series of seals and channels to direct dust and moisture away from critical components
- **Blade release function** – if the blade was to become jammed the user can press the release button temporarily reversing the blade direction
- **Variable speed trigger** – as well as the 3-stage speed change the user can have full control of the blade speed from the variable speed trigger, similar to a petrol trimmer
- **Rotating rear handle** – handle can be positioned in 5 positions, 0° , 45° and 90° left and right for maximum comfort in various applications
- **Lightweight design** – at only 4.5kg with a battery compared with the equivalent petrol model at 5.0kg

# Advantages

## Performance



18V Brushless Motor provides up to 4,400spm

## Innovation



Anti-vibration structure reduces vibration for comfortable prolonged use

## Convenience






Rotating rear handle for maximum comfort in a variety of applications

## Comfort



24% lighter in weight than the petrol equivalent

# Our Range

	DUH752	DUH751	DUH602
			
Motor	Brushless	Brushless	Brushless
Max. branch diameter	<b>21.5mm</b>	23.5mm	21.5mm
Blade length	750mm	750mm	600mm
Blade Type	<b>Double Reciprocating, Flat Blade</b>	Double Reciprocating, Curved Blade	Double Reciprocating, Flat Blade
Noise	93db	93dB	93dB
No load speed	Lo: 0-2,000spm Med: 0-3,600spm High: 0-4,400spm	Lo: 0-2,000spm Med: 0-3,600spm High: 0-4,400spm	Lo: 0-2,000spm Med: 0-3,600spm High: 0-4,400spm
Overall length	1,261mm	1,261mm	1,121mm
Skin weight	3.9kg	3.9kg	3.9kg
Weight (with battery)	4.5kg	4.5kg	4.5kg
Voltage	18V	18V	18V

# Our Range


## Change in Blade Design

**DUH751** – Featured the double reciprocating curved blade which produced less friction resulting in cleaner and efficient cutting with more cuts per charge.

**DUH752** – Features the double reciprocating blade however the blade surfaces are flat meaning more friction will be created during the cutting process.


## Difference in Runtime

	DUH751	DUH752
High	45mins	40mins
Medium	70mins	60mins
Low	160mins	150mins




# Accessories


## Standard Accessories

	<p>459122-7</p>	<p>Blade Cover</p>
---	-----------------	--------------------



## Optional Equipment

	<p>BL1830B BL1840B BL1850B BL1860B</p>	<p><b>Batteries</b> 18V 3.0Ah Battery 18V 4.0Ah Battery 18V 5.0Ah Battery 18V 6.0Ah Battery</p>
---	--	---

	<p>DC18SD DC18RC DC18SF DC18RE DC18RD</p>	<p><b>Chargers</b> 18V Standard Charger 18V Rapid Charger 18V 4 Port Charger 18V/12V Dual Voltage Charger 18V Dual Port Rapid Charger</p>
---	---	---