


## **Product Objectives**

- Designed to suit the needs of commercial end users looking for a high powered, quiet and easy to use battery alternative
- Expand our line up of Li-ion trimmers with a model that has equal power to petrol alternatives



## **Product Overview - DUR369A**



### **Product Specification Sheet**



Max. output		1kW	
No Load speed		Hi: 7,000rpm Med: 5,500rpm Lo: 4,600rpm	
Spindle size		M10 x 1.25 LH	
Nylon head accepts nylon line		2.0 - 2.4mm x 3.5m	
	2-Tooth Blade	255mm	
	Nylon Line	430mm	
	Plastic Blade	255 / 305mm	
Overall length		1,846mm	
Skin weight		5.3kg	
Weight (with battery)		6.5kg	
Voltage		36V (18V x 2)	

- **3 Stage Speed Control** high, medium and low speed, can be changed by simply pushing a button on the easy to use LED display.
- Reverse Switch tangled grass clippings can be removed by slow reverse rotation of the cutting tool (automatically stops after three seconds) by pressing button and pulling trigger
- **XPT** extreme protection technology, is an advanced series of seals and channels to direct dust and moisture away from critical components.
- Active Feedback technology when the metal blade(optional) hits a solid object like a tree stump or fence, the sudden decrease in rpm triggers the brake, stopping kickback occurring
- 18Vx2 Brushless Motor powered by two 18V Li-ion batteries providing up to 1kW of output which is equivalent to 30cc petrol engines
- **U-Handle Design** designed so that the centre line of the handle-bars stays aligned with the users centre of gravity
- Automatic Torque Drive will automatically increase the torque of the motor when increased load is detected
- 430mm (17") Max. cutting width similar cutting capacity to 30cc petrol engine grass trimmers
- Counterclockwise Blade Rotation blade rotation is the same as petrol brush cutters making it comfortable for traditional users

## **Advantages**

#### **Performance**



18Vx2 Brushless Motor for 36V of power and runtime

#### **Convenience**



Counter-clockwise blade rotation
Blade rotation is the same as petrol brushcutters

#### **Innovation**



**Automatic Torque Drive Technology** 

#### **Ergonomics**



Ergonomic U-Handle and Loop Handle design allows for maximum user comfort

## Advantages

#### **Improved Motor Design**

High power drive system with Makita's Brushless motor help to provide 1kW of maximum power output which puts it inline with 30cc petrol line trimmers



# **Our Range**

	DUR369L	DUR369A	DUR368L	DUR368A
	BL	BL	BI	BI
Blade rotation direction	Counter-clockwise	Counter-clockwise	Counter-clockwise	Counter-clockwise
Max Output	1kW	1kW	0.55kW	0.55kW
No Load speed	Hi: 7,000 rpm Med: 5,500rpm Lo: 4,600rpm	Hi: 7,000 rpm Med: 5,500rpm Lo: 4,600rpm	Hi: 6,500 rpm Med: 5,300rpm Lo: 3,500rpm	Hi: 6,500 rpm Med: 5,300rpm Lo: 3,500rpm
Spindle size	M10 x 1.25 LH			
Nylon head accepts nylon line	2.0 – 2.4mm x 3.5m			
Max. cutting width	430mm	430mm	350mm	350mm
Overall length	1,846mm	1,846mm	1,758mm	1,758mm
Skin weight	5.1kg	5.3kg	3.9kg	4.1kg
Weight (with battery)	6.3kg	6.5kg	4.5kg	4.7kg
Voltage	36V (18Vx2)	36V (18Vx2)	36V (18V x 2)	36V (18V x 2)

## Accessories

Standard Accessories				
	197804-0	Nylon Head		
	783202-0	Hex Wrench 4		
-	782238-6	Box Wrench 17		
makita	831304-7	Accessory Bag		
1 2	1. 125520-4	Band Assembly (DUR369L)		
	2. 122906-3	Band Assembly (DUR369A)		
	456924-2	Tool Cover		
Therein.	197320-2	Cutter Blade Set		

Optional Equipment				
	E-01797 E-01806 E-01812	Four Leaf Silent Nylon Line 2.4mm x 15m 2.4mm x 30m 2.4mm x 225m		
	P-76788 P-76825 P-76869	Pro-Series Nylon Line 2.4mm x 15m 2.4mm x 44m 2.4mm x 87mm		
Face State of State o	369.224.602 369.224.603 369.224.604 369.224.606 369.224.607 369.224.608	Contractor Series Nylon Line 2.4mm x 15m - Round 2.4mm x 87m - Round 2.4mm x 262m - Round 2.4mm x 15m - Square 2.4mm x 69m - Square 2.4mm x 206m - Square		
The state of the s	369.224.071 369.224.070 369.224.072	Elite Silent Nylon Line 2.4mm x 3.5m 2.4mm x 15m 2.4mm x 120m		
	198384-9 198427-7	255mm Curved Retractable Tri Blade Head Curved Plastic Blade replacements 12Pk		
	195298-3 B-14118 B-99920 B-14130	230mm Blades 3-tooth Blade 4-tooth Blade Flexible Blade 8-tooth Blade		