



Product Overview



Product Specification Sheet



Continuous rating input:	1800W
Motor:	Series
Max Pressure:	13MPa
Regular flow:	360L/h
Max Flow:	450L/h
Adjustable Pressure function:	Yes
Weight:	12.7kg

- Hose Reel- Pressure hose can be wound around the reel for easy and quick preparation/ cleaning
- Lightweight

 The use of a series motor ensures that the weight of the unit is reduced compared with competitor's units.
- **Low Noise** minimised by sound absorption sponges on the inside of housing along with a vibration isolation structure incorporated in the pumps design.
- 10m High Pressure Hose— providing more convenience for a range of applications
- Self Priming Function

 Water can be drawn from a bucket, not requiring any pressure to fill the unit (max suction head of 1m)
- High/ Low 2 Pressure selection—Low mode reduces the motor's rpm operation, saving 20% water consumption per minute and reduces operating noise. Prefect for soft washing of screen doors, air conditioner outdoor units, car bodies, etc.

Advantages

Performance



Maximum Pressure: 13MPa

Convenience



Storage of accessories and 10m High Pressure Hose

Control



High/Low 2 Pressure Selection

Efficiency



Maximum flow: 450L/h

Accessories

Standard Accessories		
	197842-2	Trigger Gun Set
	197886-2	Foam Nozzle Set
	197876-5	Vario Spray Lance Set
	197824-4	Cyclone Jet
	123784-4	High Pressure Hose 10m
	197883-8	Garden Hose Fitting
	197881-2	Pump Outlet Hose Fitting
0	123660-2	Cleaning Pin

Optional Accessories		
	197822-8	Variable nozzle set
	197864-2	Cyclone guard set
	198909-9	Under body spray lance set
	197870-7	Extension Pipe set
	197831-7	Round Brush set
	197837-5 (10M), 197840-6 (15M)	Pipe cleaning hose
	197845-6 (5M), 197847-2 (8M), 197850-3 (10M)	High Pressure extension hose
	197867-6	Anti-twist joint
	197873-1	Self-suction hose set
Di	197853-7	Accessory joint set
	197828-6	Washing Brush