

Makita

Variable Speed Recipro Saw



JR3061T

Setup Data



Model No.	Barcode	Description	Packaging Dimensions LxWxH (cm)	Packaged Item Weight (kg)
JR3061T	0088381867009	32MM RECIPRO SAW 1250W VARIABLE SPEED	55 x 31 x 12.5cm	6.15kg

Product Objectives

- Designed for tasks such as demolition, wood cutting, metal cutting, plaster, and plastics
- Improve efficiency by using vertical crank mechanism which reduces vibration transferred to end user for smoother cutting



Product Overview



Product Specification Sheet



Max. cutting capacities in wood	255mm
Max. cutting capacities in pipe	130mm
Length of stroke	30mm
Strokes per minute	0 - 3,000spm
Continuous rating input	1,250W
Overall length	487mm
Net weight	3.8kg
Power supply cord	2.0m

- **Powerful motor** – 1,250W* motor delivers up to 3,000 strokes per minute
- **Vertical crank mechanism** – redesigned to rotate vertically instead of horizontally, giving smoother cutting and less vibration to the user
- **Tool-less blade change** – one touch tool-less blade change for fast blade installation and removal
- **Tool-less shoe adjustment** – Position of shoe can be adjusted with five levels, simply pull the shoe adjusting lever to adjust depth of cut and extend blade life
- **Variable speed trigger** – large 2-finger variable speed trigger for precise cutting in a wide range of applications
- **Lock-on button** – for continuous operation, pull the switch trigger than push in the lock button
- **Tool hook** – secure the tool when not in use

*Continuous rating input


Advantages

Power



Powerful 1,250W (continuous rating input) motor provides 0 – 3,000spm

Durability



Vertical crank mechanism reduces vibration for smoother cutting

Control



Easy shoe adjustment by simply pulling the lever

Efficiency



Tool-less blade change for fast and easy installation & removal

Our Range

	JR3051TK	JR3061T	JR3070CT
			 AVT ANTI VIBRATION TECHNOLOGY
Max. cutting capacities in wood	255mm	255mm	255mm
Max. cutting capacities in pipe	130mm	130mm	130mm
Length of stroke	30mm	32mm	32mm
Strokes per minute	0 - 3,000spm	0 - 3,000spm	0 - 2,800spm
Continuous rating input	1,200W	1,250W	1,510W
Overall length	447mm	487mm	485mm
Net weight	3.2kg	3.8kg	4.4kg
Power supply cord	2.0m	2.0m	2.0m

Accessories

Standard Accessories		
	B-05153	RECIPRO BLADE HCS (WOOD/PVC)
	B-05038	RECIPRO BLADE BI-METAL (METAL)
	B-05044	RECIPRO BLADE BI-METAL (WOOD WITH NAILS / ALUMINIUM / METAL)
	126939-0	Rafter Hook
	821718-8	Carry Case