

Product Statement



Bluetooth Jobsite Radio

The MR002G delivers great sound in a compact design, equipped with AM / FM radio and Bluetooth to wirelessly connect your mobile device to play music. It has one auxiliary port for MP3 compatibility, and delivers rich stereo sound from two powerful 89mm side-firing speakers.

The MR002G is engineered to stand up against harsh job site conditions with protective bumpers, and features dust and water resistant construction for increased durability.



Product Overview





Product Specifications





Continuous runtime	40V Max 4.0Ah: 27.5hours 18V 6.0Ah: 27.5hours
Practical max. output	40V Max: 5Wx2 18V: 3.5Wx2
Frequency band	AM:520-1,710kHz / FM:87.5 – 108MHz
Bluetooth range	Max. 30m, Optimum 10m
Overall length	298mm
Skin weight	4.3kg
Weight (with battery)	5.3kg (BL4040)
Voltage	40V Max, 18V, 12V Max or AC Power

- Antenna built into carry handle antenna has been redesigned and built into the handle. Simply raise the handle to boost radio signal.
- Durable design front metal pipe and elastomer bumpers protect against rough handling damage from impacts.
- **AUX-IN jack** can be used as a stereo speaker by connecting an external audio source via 3.5mm AUX cable.
- USB Charging port allows for charging a mobile device at 2.4A.
- **Dust and shower proof construction –** IP65 rated for use in outdoor applications, increasing protection against dust and moisture.
- **Bluetooth** capable of wirelessly play music from your mobile device with a maximum range of 30m.
- **2 speaker stereo –** two large 89mm speakers, producing quality sound for the user.
- Compatible with XGT, LXT, CXT and AC power user has the option to power the MR002GZ with the 40V Max XGT, 18V LXT, 12V Max CXT batteries or AC Power.

Advantages



Compatibility







Powered by 40V Max XGT, 18V LXT, 12V Max CXT batteries or AC Power.

Durability



IP65 rating protection against dust and water, being an ideal choice for the jobsite

Quality



High quality sound produced by 2 large 89mm speakers

Runtime



Runtime of up to 27.5 hours with an optional 4.0Ah battery (BL4040)

Advantages



Compatibility

Compatible with a variety of power supplies; 40V Max XGT, 18V LXT, 12V Max CXT batteries or AC Power.









40V Ma	ax XGT	18V LXT		12V Max CXT	
Battery	Run Time	Battery	Run Time	Battery	Run Time
40V Max 4.0Ah (BL4040)	27.5 hours	18V 6.0Ah (BL1860B)	27.5 hours	12V Max 4.0Ah (BL1041B)	18.5 hours
40V Max 2.5Ah (BL4025)	17 hours	18V 5.0Ah (BL1850B)	23 hours	12V Max 2.0Ah (BL1021B)	9.5 hours
		18V 4.0Ah (BL1840B)	17.5 hours	12V Max 1.5Ah (BL1016)	7.5 hours
		18V 3.0Ah (BL1830B)	12.5 hours		
		18V 1.5Ah (BL1815N)	6.5 hours		

Accessories



Standard Accessories				
	SE00000680	AC Adaptor		



Optional Accessories					
	BL4025 BL4040 BL4050F*	2.5Ah Battery 4.0Ah Battery 5.0Ah Battery* Battery cover does not close when using larger capacity batteries			
Transit.	DC40RA DC40RB	40V Max XGT Chargers Single Port Rapid Charger Dual Port Rapid Charger			
mutic	ADP10	18V Charging Adaptor Suits DC40RA and DC40RB Allows charging of 18V LXT batteries on 40V Max XGT Chargers			