

SK105DZ

Makita®

# 12V MAX Cross Line Laser

CXT



# Product Objectives



- Design a multi line laser to suit the needs of plastering, tiling, plumbing, building and flooring
- Develop a high precision, high brightness cross line laser for applications such as levelling, aligning and squaring



# Product Overview



## SK105DZ – 12V Max Red Cross Line Laser

1 horizontal and 1 vertical line

2 mode brightness settings

Red laser

3 mode line selection



DC Jack

## SK105DZ – 12V Max Red Cross Line Laser




Diameter of laser point	2.0mm
Range	20m
Self leveling range	±4°
Measuring tolerance	±3mm at 10m
Continuous runtime	4.0Ah = 40hrs 2.0Ah = 20hrs 1.5Ah = 15hrs
Overall length	138mm
Skin weight	0.46kg
Weight (with 4.0Ah battery)	0.85kg
Voltage	12V Max

- **1 Horizontal and 1 vertical lines** – laser projects 1 horizontal line and 1 vertical line a intersecting at 90 degrees
- **Red laser** – provides bright laser beam projection visible at a distance of up to 20 metres
- **XPT** – for use in outdoor applications or harsh environments, protection from dust and dripping water is enhanced
- **2 mode brightness settings** – laser can be emitted in 2 different brightness settings, Eco and High brightness
- **3 mode line selection** – line beam can be emitted in 3 modes, horizontal only / vertical only and horizontal and vertical crossline
- **CXT** – powered by 12V Max batteries the laser has a extended continuous runtime of up to 84 hours on maximum power with a 4.0Ah battery and 32 hours with a 1.5Ah
- **DC jack** – allows power to be supplied from 18V batteries using USB adaptor ADP05 and power supply cable



# Advantages

## Visibility



High brightness red beam laser

## Accuracy



Highly accurate to within  $\pm 3\text{mm}$  at 10 metres

## Durability



Durable design with XPT and an IP54 rated laser body

## Compatibility



12V Max battery provides the convenience of a rechargeable tool battery

# Accessories



Standard Accessories		
	832173-9	Soft Bag
	LE00870131	Magnetic Wall Mount
	LE00785638	Laser Target Plate RED (SK105DZ)

Optional Accessories		
	TK0LM1001F TK0LM4001F TK0LM5030F	Mini Tripod 400 – 1140mm Tripod 670 – 1800mm Tripod 790 – 2870mm
	199007-2	Hand Strap Set (Holds 18V Battery/Adaptor when mounted to tripod)
	LE00870137	Wall Mount Bracket
	ADP05	18V USB adaptor (Used With 199178-5 & 18V LXT Battery)
	199178-5	USB Cable Set (Used With ADP05 & 18V LXT Battery)
	LE00855702	LDX1 Laser Receiver