

Makita[®]

12V Max Brushless 3/8" Impact Wrench

CXT

TW160D



12V Max Brushless 3/8" Impact Wrench

The 12V Max Brushless Impact Wrench (TW160D) has a 3/8" anvil capable of 160Nm fastening torque in forward and reverse. The TW160D has two power modes (soft and hard) and a variable speed trigger to provide maximum versatility in a compact tool.

The TW160D features auto-stop in reverse, meaning the tool can stop in 0.2 seconds after the fastener is sufficiently loose. The TW160D also includes various ergonomic features, including soft grip on the handle and a single LED job light with pre-glow and after-flow functions.



Product Overview



LED Job Light



Variable Speed Trigger

Same Forward/Reverse Torque

Auto-Stop Reverse Function



Two-Stage Impact Selection

Product Specification Sheet



- **LED Job Light** – With pre-glow and after-glow function to illuminate workpiece.
- **Variable Speed Trigger** – Allows the user to have full control over the speed of rotation at their fingertips. Trigger controls variable speed between 0-2,400rpm.
- **Auto-Stop Reverse Function** – When the bolt/nut is sufficiently loose the tool will automatically stop reverse rotation.
- **Two-Stage Impact Selection** – Allows choice between hard impact (0-2,400rpm) and soft impact (0-1,300rpm).
- **Brushless Motor** – Provides more power to the motor whilst increasing runtime and durability.
- **Same Forward/Reverse Torque** – Ensuring that any bolt that is fasten by the wrench can also quickly and easily be removed.
- **Compact eXtreme Technology (CXT)** – Ultra compact design at 144mm in length and lightweight at 1.2kg with a 4.0Ah battery.

Max Capacities Standard Bolt	M8 – M16
Max Capacities High Tensile Bolt	M6 – M12
No-Load Speed	Hard: 0 – 2,400rpm Soft: 0 – 1,300rpm
Impact Rate	Hard: 0 – 3,600ipm Soft: 0 – 2,000ipm
Max Fastening Torque	165Nm
Drive Shank	9.5mm (3/8") Square
Overall Length	144mm
Skin Weight	1.0kg
Weight (With 4.0Ah Battery)	1.2kg
Voltage	12V Max

Power



Brushless Motor delivers 160Nm fastening torque in forward/reverse.

Speed



Two-modes and variable speed for a variety of fastening applications.

Convenience





3/8" Square drive fits most common automotive sockets

Comfort



Compact design with soft grip handle for reduced fatigue

Standard Accessories

	266622-8	M4 x 12mm Screw
	346909-5	Hook

Optional Accessories

	See Website	3/8" Impact Sockets
	See Website	3/8" Impact Wrench Adaptors
	B-55550	3/8" Deep Impact Socket Set