

### **Product Statement**



The 40V Max. Brushless Multi-Function Line Trimmers provide high max power output of 0.55kW and features a 3-stage speed control allowing the user to control the speed between 0-3,500, 5,300 and 6,500rpm.

Featuring Makita's Outer Rotor Motor, designed for long periods of high torque use, providing up to 31 minutes of continuous runtime with BL4050F.

The UR002 & UR003 are compatible with a wide range of accessories including Nylon line cutting heads, plastic & metal blades to achieve optimal performance for any task.



### **Product Overview**



40V Max Brushless U-Handle / Loop Handle Line Trimmer UR002G / UR003G



## **Product Specifications**



### 40V Max Brushless U-Handle / Loop Handle Line Trimmer UR002G / UR003G




		UR002G	UR003G
No Load Speed		Low: 0 – 3,500rpm Medium: 0 – 5,300rpm High: 0 – 6,500rpm	
Spindle Size		M10 x 1.25LH	
Nylon Head Accepts Nylon Line		2.0mm x 4.0m	
Max. Cutting Width	Nylon Line	350mm	
	Metal Blade	230mm	
	Plastic Blade	255mm	
Overall Length		1,830	
Skin Weight		3.5kg	3.2kg
Voltage		40V Max	

- **3 Stage Speed Control + Variable Speed –** the high power 40V Max XGT Li-lon battery allows for operation in heavy-duty applications, delivering up to 6,500rpm.
- **IPX4 Rated** provides increased resistance to water penetration
- **Compatible with Nylon Line, Metal & Plastic Blades –** suitable for use with a wide range of accessories to provide the best performance for the task
- Automatic Torque Drive automatically provides higher torque in tougher applications to maintain operating speed
- Reverse Mode rotates the accessory backwards to remove debris and automatically switches back to forwards rotation
- **Active Feedback Sensing Technology (AFT)** reduces the risk of kickback by detecting a sudden decrease in RPM and automatically stopping the motor

# **Advantages**



### **Heavy Duty Power**



Powered by XGT 40V Max battery allowing for continuous heavy duty operation

#### **Convenience**



Simple to use control & indicator panel at the users fingertips

#### **Durability**



IPX4 allows for use in wet weather situations without damage to the motor

#### Safety



Active Feedback sensing Technology stops the motor if a sudden decrease of rotation is detected

### Accessories



Standard Accessories			
	127759-5	Band Assembly (UR003)	
	122906-3	Shoulder Harness (UR002)	
	191D89-4	Nylon Cutting Head	
That the same of t	831304-7	Accessory Bag	
	783202-0	Hex Wrench 4	
	783013-3	Box Driver	