

Makita

20L Wet/Dry Dust Extraction Vacuum

VC2012LX1



Product Statement

The VC2012LX1 is a compact, versatile option for dust extraction and wet/dry vacuuming.

Certified for L Class dust compliance to provide filtration for all Low hazard materials of >99% at 0.3 micron.

Push & Clean filter maintenance allows the user to conduct maintenance without accessing the filter by blocking the hose & pushing down on the filter cleaning button.

Standard accessories include 3 quick fit attachments to suit a range of dust extraction fittings to easily interchange between different tools and accessories.



Product Overview



Product Specification Sheet

VC2012LX1 – 20L Wet/Dry Dust Extraction Vacuum



Continuous rating input	1,000W
Max. Air Volume	3.6m³/min
Max. sealed suction	21.0kPa
Net Weight	7.0kg
Overall Length	451mm
Power supply cord	7.5m
Powertool Input Wattage	1,200W
Tank Capacity	Dust: 15L / Water: 12L
Total Connected Load	2,200W

- **Push & Clean Filter Maintenance** – semi automatic filter cleaning system extending operating time and filter life
- **Stainless Steel Tank** – durable metal container for long lasting product life
- **Power Tool Activation** – provides on demand dust extraction for power tools
- **L Class Filtration** – certified to filter 99% of dust particles at 0.3 microns
- **Washable PET Filter** – easy to maintain the pain filter by washing in clean water
- **Resettable Fuse** – provides protection for the motor against overload from the tool input
- **Wet & Dry Pickup** – can be used for picking up either material without having to change the main filter

Advantages

Convenience



Carry handle concealed inside the tub makes for easy disposal of collected material

Efficiency




Power tool activation for on demand dust extraction

Durability



Stainless steel tank provides high durability and rust free in wet applications

Safety



Motor is protected from power tool overload by resettable fuse

Our Range




	VC2012LX1	DVC155LZX4	VC3012L
			
Continuous rating input	1,000W	N/A	1,200W
Max. Air Volume	3.6m ³ /min	2.1m ³ /min	3.6m ³ /min
Max. sealed suction	21.0kPa	11kPa	25kPa
Net Weight	7.0kg	6.6kg	10kg
Overall Length	451mm	412mm	595mm
Power supply cord	7.5m	N/A	7.5m
Powertool Input Wattage	1,200W	N/A	1,200W
Tank Capacity	Dust: 15L / Water: 12L	Dry: 15L / Wet: 12L	Dust: 24L / Water: 19L
Total Connected Load	2,200W	N/A	2,400W
Voltage	240V	18Vx2 (36V)	240V

Accessories

Standard Accessories		
	P-72899	Fleece Filter Bag (1pc)
	P-70306	Plastic Tub Liner (1pc)
	P-81739	Suction Hose 32mm x 3.5m
	P-74924	Extension Wand (2pc)
	W107402706	Floor Nozzle 260mm
	W107409979	Tube Holder Kit
	W107409980	Toolbox
	W14295	Flat nozzle 120mm
	W29541	Crevice nozzle 200mm

Optional Accessories		
	P-72899	Fleece Filter Bag (5pk)
	P-70306	Plastic Tub Liner (5pk)
	302001095	HEPA Filter

Dust Extraction Connections

Standard Accessories			
	P-81745	24mm Rubber Power Tool Adaptor	Quick Fit Adapter Suits – Circular Saws, Plunge Cut Saws, Sanders, Jigsaws
	W107418680	38mm Power Tool Adaptor	Quick Fit Adapter Suits – Slide Compound Saws, Routers, Trimmers, Angle Grinder Attachments, Wall Chaser
	W107418661	22mm Power Tool Adaptor	Quick Fit Adapter Suits – Multitools, Rotary Hammer Attachments, Sanders