

# Multi Tool - Cutting & Sawing

## Starlock Max Accessories

The new range of Starlock Max blades are designed to be used for versatile heavy duty applications such as grinding, cutting & sawing.



### STARLOCK / STARLOCK PLUS / STARLOCK MAX COMPATIBILITY CHART


NEW

NEW

STARLOCK

STARLOCK PLUS

STARLOCK MAX



OIS Compatible Tools



—

—

STARLOCK MAX



STARLOCK MAX

BIM

LONG LIFE

WOOD

epoxy

PLASTER

CONCRETE

- Suitable for deep & fast plunge cuts
- Able to cut non-hardened nails and screws
- Ideal for window frames

| Part No. | Description                                       | Barcode       |
|----------|---|---------------|
| B-66400  | MAM001 - 32mm x 80mm x 20TPI PLUNGE CUT SAW BLADE | 0088381539302 |



STARLOCK MAX

BIM

LONG LIFE

WOOD

epoxy

PLASTER

CONCRETE

- Suitable for deep & fast plunge cuts
- Able to cut non-hardened nails and screws
- Ideal for window frames

| Part No. | Description                                       | Barcode       |
|----------|---|---------------|
| B-66416  | MAM002 - 52mm x 70mm x 20TPI PLUNGE CUT SAW BLADE | 0088381539319 |



STARLOCK MAX

BIM

LONG LIFE

WOOD

epoxy


PLASTER

CONCRETE

BRICK

- Side set teeth result in improved cutting speeds
- Deeper cut (50mm) compared to regular 100mm segmented blade
- Ideal for long straight cuts

| Part No. | Description                              | Barcode       |
|----------|--|---------------|
| B-66422  | MAM003 - 100mm x 15TPI SEGMENT SAW BLADE | 0088381539326 |



# Multi Tool - Cutting & Sawing



**STARLOCK MAX**



- Suitable for deep & fast plunge cuts
- Curved cutting edges for precise cutting and less tooth breakages

| Part No. | Description  | Barcode       |
|----------|--|---------------|
| B-66438  | MAM004 - 32mm x 80mm x 18TPI<br>PLUNGE CUT SAW BLADE | 0088381539333 |



**STARLOCK MAX**



- Suitable for deep & fast plunge cuts
- Ideal for cutting Hardened nails and screws

| Part No. | Description  | Barcode       |
|----------|--|---------------|
| B-66444  | MAM005 - 32mm x 70mm x 23TPI<br>TCT PLUNGE CUT S/BLADE | 0088381539340 |



**STARLOCK MAX**



- Suitable for deep & fast plunge cuts
- Tungsten carbide teeth and curved blade
- Ideal for plunge cuts in extra-hard materials such as carbon fiber or sheet metal

| Part No. | Description  | Barcode       |
|----------|--|---------------|
| B-66450  | MAM006 - 32mm x 70mm x 20TPI<br>TCT PLUNGE CUT S/BLADE | 0088381539357 |



**STARLOCK MAX**



- Suitable for deep 70mm cutting of expansion joints
- Sturdy, thin cutting edge allows for flush cutting of expansion joints on masonry
- Ideal for deep cutting into window putty

| Part No. | Description                                | Barcode       |
|----------|--|---------------|
| B-66466  | MAM007 - 32mm x 70mm<br>JOINT CUTTER BLADE | 0088381539364 |



**STARLOCK MAX**



- Suitable for Deep 55mm cutting of expansion joints
- Sturdy, thin cutting edge allows for flush cutting of expansion joints on masonry
- Ideal for deep cutting into window putty

| Part No. | Description                                | Barcode       |
|----------|--|---------------|
| B-66472  | MAM008 - 32mm x 60mm<br>JOINT CUTTER BLADE | 0088381539371 |





# Multi Tool - Grout Removal & Cutting



**STARLOCK MAX**



- Suitable for routing thin joints up to 1.5mm
- Blade design allows for reaching in tight corners
- Can be used for laying concealed cables and pipes

| Part No. | Description                                      | Barcode       |
|----------|--|---------------|
| B-66494  | MAM009 - 68mm x 10mm x 50#<br>CARBIDE RIFF BLADE | 0088381539395 |



**STARLOCK MAX**



- Suitable for 30mm deep cutting for long joints
- Blade design allows for reaching in tight corners
- Can be used in routing deep joints on wall and floor tiles

| Part No. | Description                                      | Barcode       |
|----------|--|---------------|
| B-66503  | MAM010 - 68mm x 30mm x 30#<br>CARBIDE RIFF BLADE | 0088381539401 |



**STARLOCK MAX**



- Blade design allows for reaching in tight corners
- Can be used for recesses in epoxy/glass fiber reinforced plastic (Ideal for use on Boats)

| Part No. | Description                                     | Barcode       |
|----------|---|---------------|
| B-66519  | MAM011 - 68mm x 30mm x 40#<br>DIAMOND SAW BLADE | 0088381539418 |



**STARLOCK MAX**



- Suitable for routing thin joints up to 1.5mm
- Blade design allows for reaching in tight corners
- Can be used for recesses in epoxy/glass fiber reinforced plastic (Ideal for use on Boats)

| Part No. | Description                                     | Barcode       |
|----------|---|---------------|
| B-66525  | MAM012 - 68mm x 10mm x 40#<br>DIAMOND SAW BLADE | 0088381539425 |



**STARLOCK MAX**



- Suitable for 30mm deep cutting for long joints
- Blade design allows for reaching in tight corners
- Can be used in routing deep joints on wall and floor tiles

| Part No. | Description                                      | Barcode       |
|----------|--|---------------|
| B-66531  | MAM013 - 68mm x 30mm x 40#<br>CARBIDE RIFF BLADE | 0088381539432 |



# Multi Tool - Grout Removal & Cutting



**STARLOCK MAX**



- Melted carbide design allows for cuts in very abrasive materials
- Large blade size helps minimise effort due to less plunge cuts required

| Part No. | Description                                       | Barcode       |
|----------|---|---------------|
| B-66547  | MAM014 - 100mm x 45mm x 40#<br>CARBIDE RUFF BLADE | 0088381539449 |



## Multi Tool - Sanding & Polishing





**STARLOCK MAX**



- Suitable for rough removal applications
- Extra long lifetime due to very little clogging & carbide technology

| Part No. | Description                           | Barcode       |
|----------|---------------------------------------|---------------|
| B-66553  | MAM015 - 116mm x 20#<br>SANDING PLATE | 0088381539456 |




**STARLOCK MAX**



- Suitable for rough removal applications
- Extra long lifetime due to very little clogging & carbide technology

| Part No. | Description                           | Barcode       |
|----------|---------------------------------------|---------------|
| B-66569  | MAM016 - 116mm x 40#<br>SANDING PLATE | 0088381539463 |




**STARLOCK MAX**



- Suitable for rough removal applications
- Extra long lifetime due to very little clogging & carbide technology

| Part No. | Description                           | Barcode       |
|----------|---------------------------------------|---------------|
| B-66575  | MAM017 - 116mm x 60#<br>SANDING PLATE | 0088381539470 |



**STARLOCK MAX**



- Suitable for rough removal applications
- Extra long lifetime due to very little clogging & carbide technology

| Part No. | Description                            | Barcode       |
|----------|--|---------------|
| B-66581  | MAM018 - 116mm x 100#<br>SANDING PLATE | 0088381539487 |

